Booklet Code No. 98481

Roll Number:	·			
	ĺ	1		


INSTRUCTIONS TO CANDIDATES

[Do not open this booklet unless you are asked to do so]

- 1. Fill in the OMR sheet carefully as per the instructions given on the back side of the OMR sheet. .
- 2. Use only black/blue ball point pen to fill the OMR sheet.
- 3. Write your Roll Number (six digits) on the Question Booklet and on the left hand side of the OMR sheet (basic data part).
- 4. There are 120 Objective type multiple choice questions, which are to be answered in 120 minutes.
- 5. There are 4 options (A, B, C & D) for each question. Mark your answer corresponding to each question by darkening the corresponding bubble in the OMR sheet with a black/blue ball point pen. For every correct answer 3 mark will be awarded and for every incorrect answer 1 mark will be deducted from the total marks scored.

 No deduction of mark will be made for unanswered questions. Marking of more than one bubble against a question in the OMR sheet will be considered as an incorrect answer. Erasing, overwriting, partial marking etc. may also be treated as incorrect answer.
- 6. Candidates are not permitted to use Calculator, Logarithm table, Mobile phone or any other electronic equipment in the examination hall.
- 7. Please handover the Answer Sheet along with its duplicate copy to the invigilator and collect the duplicate copy from the invigilator before leaving the Examination Hall. Failure to comply this may lead to cancellation of your candidature. The Admit Card and Question Booklet can be retained by the candidates after the examination.
- 8. Any misconduct and attempt of malpractice may also lead to cancellation of your candidature.
- 9. Answer keys will be published in the website www.tekerala.org after the examination. Complaints, if any, regarding the answer keys with DOCUMENTARY PROOF may sent to the Joint Controller, Office of the Controller of Technical Examinations, Kaimanam, Thiruvananthapuram-40 so as to reach this office on or before 3-5-2012, 4 p.m. Complaints not substantiated with supporting documents will not be considered and the decision of the experts shall be final.
- 10. Candidates are permitted to leave the examination hall only after the completion of examination time.





It is the height of selfishness for men who fully appreciate in their own case the great advantage of a good education, to deny these advantages to women. It is argued that women have their domestic duties to perform and that if they were educated they would busy themselves in their books and have little time for attending to the management of their households. Ofcourse it is possible for women, as it is for men to neglect necessary work in order to spare more time for reading sensational novels. But women are no more liable to this temptation than men, and most women would be able to do their household work all the better for being able to refresh their minds in the intervals of leisure with a little reading. Female education is a vital necessity as it can empower, enlighten and uplift the morale of women in the society.

can	empowe	er, enlighten and uplift the n	norale of	women in the society.						
1.	Wome	en are denied the advantage	s of good	l education because						
	(A)	They have domestic duties to perform.								
	(B)	They cannot appreciate the	e advanta	ges of good education.						
	(C)	They will spend time in re-	ading witl	nout doing the household work.						
	(D)	Men are highly selfish.								
2.	Wom	en sometimes neglect neces	sary worl	K						
	(A)	Because men also neglect	such wo	rk.						
	(B)	To have spare time for rea	ding sens	sational novels.						
	(C)	As they have domestic du	ties to do							
-	(D)	To refresh their minds.								
3.	The	word "temptation" in the pa	ssage rel	ates to						
٠	(A).	Reading books to refresh	the minds							
	(B)	Neglect of work to read n	ovels.							
	(C)	Performing domestic dutie	s.							
	(D)	Spending little time for rea	iding.							
4.	The	word opposite in meaning to	vital is							
	. (A)	Noble	(C)	Ideal						
	(B)	Important	(D)	Trivial						
5.	A su	itable title to the passage is	•							
	(A)	Women in villages	(C)	Women in society						
	(B)	Women and education	(D)	Women in the family						
Cho	oose the	e correct option to complete	the sente	ences: (6-7)						
6.	The	proverb says that	killed the	cat.						
	(A)	Ecstasy	(C)	Belief						
	(B)	Curiosity	(D)	Execution						
		•	en and the second	*						

- 7. Kiran with what I say.
 - (A) never agreed
- (C) has never agree
- (B) is never agreeing
- (D) never agrees

Identify the wrong section (8-10)

- 8. Send the letter / by post / at my Kollam address / today itself.
 - (A) send the letter
- (C) today itself

(B) by post

- (D) at my Kollam address
- 9. Have you / noticed / the clause / of a lobster?
 - (A) Have you

- (C) the clause
- (B) of a lobster
- (D) noticed
- 10. The doctors did not / hold out / many hope / for her recovery.
 - (A) The doctors did not
- (C) many hope

(B) hold out

- (D) for her recovery
- 11. If the system of equations x + 2y 3z = 1, (p + 2)z = 3, (2p + 1) y + z = 2 is consistent, then the value of p?
 - (A) -2

(C) $-\frac{1}{2}$

(B) $\frac{1}{2}$

- (D) 2
- 12. The number of linearly independent eigen vectors of $A = \begin{bmatrix} 2 & 1 \\ 0 & 2 \end{bmatrix}$
 - (A) = 0

(C) :

· (B) 1

- (D) infinite
- 13. The eigen values of a square matrix A are 1 and -2. Then A^{-1} is equal to
 - (A) $\frac{1}{2}$ [A I]

(C) [A-I]

(B) $\frac{1}{2}$ [A + I]

- (D) 2(A + I)
- 14. The canonical form of the quadratic form $4x^2 + 4y^2 + 2xy$ is
 - (A) $3x_1^2 + 5x_2^2$

(C) $5x_1^2 - 3x_2^2$

(B) $3x_1^2 - 5x_2^2$

- (D) $x_1^2 + 5x_2^2$
- 15. The eigen values of the matrix A^{-1} if $A^2 = \begin{bmatrix} 19 & 6 \\ 18 & 7 \end{bmatrix}$ are
 - (A) 1, 5

(C) $1, -\frac{1}{3}$

(B) –I, 3

- (D) 1, $\frac{1}{5}$
- 16. The 20th derivative of 2sin 5x sin 3x is
 - (A) $8^{20} \sin 8x + 2^{20} \sin 2x$
- (C) $8^{20} \cos 8x + 2^{20} \cos 2x$
- (B) $8^{20} \cos 8x 2^{20} \cos 2x$
- (D) $2^{20}\cos 2x 8^{20}\cos 8x$



- 17. The value of $\lim_{x\to\alpha} x \sin \frac{1}{x}$ is equal to
 - (A) 0

(C)

(B) α

- (D) limit does not exist
- 18. The centre of curvature of the circle $x^2 + y^2 2x 4y 5 = 0$ is
 - (A) (1, 2)

(C) (-1, -2)

(B) (0, 0)

- (D) (2, 4)
- 19. If $u = \tan^{-1} \left(\frac{x y}{x + y} \right)^{3/2}$, then $x = \frac{\partial u}{\partial x} + y = \frac{\partial u}{\partial y}$, is equal to
 - (A) tan u

(C)

(B) u

- (D) 0
- 20. For the function $f(x, y) = x^2 + y^2$, (0, 0) is a
 - (A) maximum point
- (C) saddle point
- (B) minimum point
- (D) neither maximum nor minimum
- 21. The infinite series $\frac{1}{1.2.3} + \frac{3}{2.3.4} + \frac{5}{3.4.5} + \dots$
 - (A) converges

(C) conditionally convergent

(B) diverges

- (D) oscillates
- 22. The series $\sum_{n=1}^{\alpha} \sqrt{\frac{n}{n+1} x^n}$
 - (A) converges for $x \le 1$, diverges for x > 1
 - . (B) diverges for all values of x
 - (C) converges for all values of x
 - (D) converges for x < 1 and diverges for $x \ge 1$
- 23. Which one of the following statement is true:
 - (A) every convergent series converges absolutely
 - (B) every absolutely convergent series converges
 - (C) every alternating series converges absolutely
 - (D) every alternating series converges to zero.
- 24. The infinite series $\sum_{n=1}^{\infty} \left(\frac{n}{2n+1} \right)^n$
 - (A) converges

(C) conditionally convergent

(B) diverges

- (D) oscillates
- 25. The infinite series $1 \frac{1}{5} + \frac{1}{9} \frac{1}{13} + \dots$
 - (A) converges

(C) conditionally convergent

(B) diverges

(D) oscillates



- 26. Let f(x) be function which satisfies Dirichlet's condition in its domain and let f(x) has finite discontinuity at x = a. Then at x = a the corresponding Fourier series converges to
 - (A) f(a)

(C) f(a-)

f(B) = f(a+)

- (D) $\frac{1}{2}[f(a+) + f(a-)]$
- 27. Fourier series representation of f(x) = |x| in $-\pi < x < \pi$ and $f(x + 2\pi) = f(x)$ is

(A)
$$f(x) = \frac{\pi}{2} - \frac{4}{\pi} \sum_{n=1}^{\infty} \frac{\cos{(2n-1)x}}{(2n-1)^2}$$

(B)
$$f(x) = \frac{\pi}{2} + \frac{4}{\pi} \sum_{n=1}^{\infty} \frac{\cos{(2n-1)x}}{(2n-1)^2}$$

(C)
$$f(x) = \frac{\pi}{2} - \frac{4}{\pi} \sum_{n=1}^{\infty} \frac{\sin(2n-1)x}{(2n-1)^2}$$

(D)
$$f(x) = \frac{\pi}{2} - \frac{4}{\pi} \sum_{n=1}^{\infty} \frac{\cos (2n+1)x}{(2n+1)^2}$$
.

28. Which of the following functions has only cosine terms in its Fourier series expansion?

(A)
$$f(x) = \begin{cases} 1 + x; & -\pi < x < 0 \\ 1 - x; & 0 < x < \pi \end{cases}$$
 and $f(x + 2\pi) = f(x)$

(B)
$$f(x) = x \sin x \text{ in } -\pi < x < \pi \text{ and } f(x + 2\pi) = f(x)$$

(C)
$$f(x) = x \cos x \text{ in } -3 < x < 3 \text{ and } f(x + 6) = f(x)$$

- (D) both (A) and (B).
- 29. Laplace transform of $\frac{1 e^t}{t}$ is

(A)
$$\log\left(\frac{s}{s-1}\right)$$

(B)
$$\log \left(\frac{s-1}{s}\right)$$

(C)
$$\frac{1}{s} - \frac{1}{s-1}$$

(D)
$$\frac{1}{s-1} - \frac{1}{s}$$

- 30. Inverse Laplace transform of $\frac{s+3}{s^2+6s+10}$ is
 - (A) $e^{-3t} \cos t$
 - (B) $e^{3t} \cos t$
 - (C) $e^{-3t} \sin 3t$
 - (D) $e^{-t} \sin 3t$

POLYTECH CONTROL OF THE POLYTE

	(A)	Bleeding	(C)	Creeping
	(B)	Seggregation	(D)	Flooding
32.		process of proper and accurate ortion is known as:	e measi	arements of concrete ingredients for uniformity of
	(A)	Curing	(C)	Batching
	(B)	Mixing	(D)	Grading
33.	Sand	in grading zone IV are		
	(A)	Coarse	(C)	Medium to fine
	(B)	Medium	(D)	Fine
34.	The	defects developed at the base	s of bra	anches cut off from the tree are called:
	(A)	Rind galls	(C)	Shakes
	(B)	Knots	(D)	Buris
35.		agger vertical joints in succes		surses of a wall, a piece of brick is generally used as:
	(A)	closer	(C)	header
	(B)	bat	(D)	stretcher
36.	The	stretcher bond is generally use	ed for:	
	(A)	half brick wall	(C)	1½ brick wall
	(B)	simple brick wall	(D)	arches
37.		foundation which consists of ort heavy concentrated structu		reinforced cement slab covering whole area to
	(A)	combined footing	(C)	strap footing
	(B)	raft footing	(D)	strip footing
38.	Finel	y divided solid substance givi	ng the l	body to the paint is known as
	(A)	drier	(C)	base
	(B)	vehicle	(D)	solvent
39.	The	vertical side member of a shu	itter fra	ime is known as
	(A)	style	(C)	reveal
	(B)	post	(D)	Mullion
40.	The	highest line of a sloping roof	whose	two opposite slopes meet is known as
, •	(A)	rafter	(C)	crown
	(B)	ridge	(D)	eave
41.	• •		oof witl	n its top parallel to the roof surface is called
т,	(A)	dormer window	(C)	louvered window
	(B)	lantern window	(D)	skylight window
	、 一ノ		` /	

	(A)	differential levelling	(C)	e surface of the ground is known as profile levelling	
	(B)	cross section	(D)	reciprocal levelling	
43.		ength of a line is found to		hen measured with a 20 meter chain.	If the chai
	(A)	8.048 m	(C)	8.12 m	
	(B)	7.952 m	(D)	7.88 m	
44.	The f	first staff reading after the	e level has	been moved to a new position is	
:	(A)	foresight	(C)	back sight	e de la companya de l
	(B)	intermediate sight	(D)	change point	
45.	Conv	ert the whole circle beari	ng of 22°30)' to quadrantal bearing	
	(A)	N 22°30′ E		N 30°22′ E	
	(B)	E 22°30′ N		E 30°22′ N	
16	, i		sum of the	entropy changes for the cycle is	•
46.	(A)	Positive	(C)	Negative	
	(B)	Zero	(D)	Depends upon the properties of sub-	stance
47		레이 이번 개발 그는 모양하다.		um temperatures in a cycle then Carno	
47.	will l		and minimi	um temperatures in a cycle their came	
	(A)	(T1+T2)/T1	(C)	(T2-T1)/T2	
	(B)	(T1-T2)/T1	(D)	T1/(T1-T2)	e de
48.	Duri	ng throttling process one	of the follo	wing remains constant:	
	(A)	Internal energy	(C)	Enthalpy	
÷,	(B)	Pressure	(D)	Entropy	
49.	In a	four stroke petrol engine	the working	g on otto cycle, ignition of fuel takes p	place:
	(A)	Adiabatically	(C)	At constant volume	
	(B)	At constant pressure	(D)	Isothermally	
50.	In ba	attery ignition system a h	igh voltage	is produced in the spark plug by mear	ns of:
	(A)	Induction coil	(C)	Capacitor	
	(B)	Distributor	(D)	Starter	
-	Criti	ical temperature of a gas	is the temp	erature:	
51.			1.5		
51.	(A)	At which it gets liquef	ied complet	cıy	
51.	(A) (B)	At which it gets liquef Above which it cannot	. ·		
51.	` ′ .		be liquefie		

8

52.	Econo	miser is used in steam boil	lers for	
	(A)	Heating the feed water	(C)	Pre-heat the air to the furnace
	(B)	Cooling the feed water	(D)	Economise the use of feed water
53.	In a v	apour compression system	the refrig	gerant immediately after expansion valve is
	(A)	Saturated liquid	(C)	Wet vapour
	(B)	Sub cooled liquid	(D)	Dry vapour
54.	In va	pour absorption system, A	mmonia i	s used as
	(A)	Refrigerant	(C)	Absorbent
	(B)	Coolant	(D)	Oxidizer
55.		nating gears have 70 and a distance between their ax		If their common module is 5 mm per tooth, the
	(A)	200 mm	(C)	150 mm
	(B)	250 mm	(D)	100 mm
56.	Elasti	c creep is due to		
	(A)	Over loading		
	(B)	Friction and wear		
	(C)	Relative motion between	pulley su	rface and belt
	(D)	Initial tension in the belt	•	
57.	The n	najor constituent of mouldi	ng sand i	s
	(A)	Silica	(C)	Carbon
	(B)	Clay	(D)	Sulphur
58.	Whic	h of the process is differen	nt from t	he rest of the process
	(A)	Cyniding	(C)	Pack carburizing
	(B)	Nitriding	(D)	Electroplating
59.	Primi	ng is required in	* .	
	·(A)	Gear pump	(C)	Centrifugal pump
	(B)	Reciprocating pump	(D)	Screw pump
60.	A we	lding process in which the	required	heat is obtained by an exothermal chemical reaction
	(A)	Gas welding	(C)	Thermit welding
	(B)	Resistance welding	(D)	Arc welding
61.	The 1	unit of magneto motive for	ce (mmf)) is
	·(A)	Newton	(C)	Ampere-turns
	(B)	Weber/m ²	(D)	Volt

9

62.	The series combination of a 40 W lamp and a 60 W lamp is connected to 240 volts supply. Both lamps are rated for 240 V. For this pair of lamps, which of the following statements is correct?
	(A) 60 W lamp will burn with higher brightness
	(B) 40 W lamp will burn with higher brightness
.*	(C) Both lamps will have equal brightness
	(D) Both lamps will not light up
63.	A coil of 100 turns is wound on an iron ring. If a narrow cut is made on the ring to form an air gap, what will happen to the inductance of the coil and reluctance of the magnetic circuit?
-	(A) Both inductance and reluctance will increase
	(B) Both inductance and reluctance will decrease
	(C) Inductance will increase and reluctance will decrease
	(D) Inductance will decrease and reluctance will increase
64.	Two impedances (2+j) and (2-j4) are connected in series. The net impedance is
.011	(A) 9 ohms. (C) 5 ohms
	(B) 1 ohm (D) $2\sqrt{2}$ ohms
65.	An ac voltage is specified by the expression: $e = 100\sqrt{2} \sin 314 t$. Its rms voltage and frequency are
	(A) $100 \sqrt{2}$ V, 314 Hz (C) $100 \sqrt{2}$ V, 50 Hz
	(B) 100 V, 100 Hz (D) 100 V, 50 Hz
66.	For a dc shunt motor connected to a fan load,
00.	(A) Speed is proportional to field current
	(B) Speed is inversely proportional to field current
	(C) Speed is independent of field current
	(D) When field current is increased, speed will initially increase and then decrease.
\ *	
67.	Maximum possible speed in three phase synchronous motors when working with 400 V 50 Hz supply is
,	(A) 1500 rpm (C) 6000 rpm
	(B) 3000 rpm (D) there is no limit to speed
68.	For a typical transformer, copper loss is proportional to
	(A) voltage of operation (C) square of percentage load
	(B) percentage load (D) square root of percentage load
69.	Which of the following equipment will protect against accidental electric shocks?
	(A) MCB (C) MCCB
	(B) ELCB (D) HRC fuse
70.	Among the following lamp types, which lamp is having the best colour rendering index?
	(A) incandescent lamps (C) mercury vapour lamp
	(B) fluorescent lamps (D) sodium vapour lamp

71.	In lead acid battery, the electrolyte is
	(A) Concentrated sulphuric acid (C) Concentrated hydrochloric acid
	(B) Diluted sulphuric acid (D) Diluted hydrochloric acid
72.	In a thermal power plant, the economiser is used to
	(A) pre-heat the boiler feed water (C) convert steam to water
	(B) pre-heat the inlet air (D) measure the consumption of fuel
73.	In a distribution network, the value of diversity factor will be
	(A) more than 1 (C) in the range of 0 to 2
	(B) less than 1 (D) in the range of -1 to +1
74.	Among the transmission voltages shown below, which is not a standard used in Kerala?
	(A) 66 kV (C) 230 kV
	(B) 110 kV (D) 400 kV
75.	The transformer type normally used for 3-phase distribution is
	(A) star-delta (C) star-star
	(B) delta-star (D) delta-delta
76.	In connection with the colour code for tubular ceramic capacitor, which of the following statement is not true?
	(A) First band represents temperature coefficient
	(B) Third band represents second digit
	(C) Second band represents first digit
	(D) Fourth band represents tolerance
77:	Even though carbon is in fourth group of the periodic table, it is not used as semi conductor because it has
	(A) High dielectric constant
÷	(B) Large energy gap
	(C) Low temperature coefficient
	(D) Low thermal conductivity
78.	The forbidden energy gap in semiconductor
	(A) Is always zero
	(B) Lies between the valance band and conduction band
	(C) Lies below the valance band
	(D) Lies just above the conduction band
79.	A doped semiconductor is called
	(A) Impure semiconductor (C) Bipolar semiconductor

1	1
1	1

80.	The turns ratio of a transformer used in a halfwave rectifier is 10:1. The primary is connected to the power mains 220 V, 50 Hz. The peak inverse voltage of the diode will be:							
	(A) 62 V (C) 41 V							
	(B) 50 V (D) 31 V							
81.	Which of the following is necessary for transistor action?							
	(A) The base region must be very wide							
	(B) The base region must be very narrow							
	(C) The base region must be heavily doped							
	(D) The collector region must be heavily doped							
8 2.	An SCR triggered by a current pulse through its gate can be turned off by							
	(A) giving another pulse of opposite polarity to the gate							
	(B) by giving pulse to the cathode							
	(C) by giving pulse to the anode							
	(D) by reversing the polarity of anode and cathode voltage							
83.	The thermal run-away in a CE transistor amplifier can be prevented by biasing the transistor in such a manner that							
	(A) $V_{CE} > V_{CC}/_2$ (C) $V_{CE} = V_{CC}/_2$							
	(B) $V_{CE} < V_{CC}/_2$ (D) $V_{CE} = 0$							
84.	Which one of the following oscillator is well suitable for the generation of wide range audio-frequency sine wave?							
	(A) RC phase-shift oscillator (C) Col-pitts oscillator							
	(B) Wien-bridge oscillator (D) Hartley oscillator							
85.	A ring counter consisting of 5 flip-flop will have							
	(A) 5 states (C) 132 states							
	(B) 10 states (D) infinite states							
86.	For an AM wave, the maximum voltage was found to be 10 V and the minimum voltage was found to be 5 V. The modulation index of the wave would be							
	(A) 0.1 (C) 0.52							
	(B) 0.33 (D) 0.40							
87.	The circuit that separates synchronizing pulses from the composite video wave form in TV is							
	(A) an integrator (C) a clipper							
	(B) a differentiator (D) the delayed AGC amplifier							



Gptc Thirurangadi, Chelari

	·	12
88.	Thern	nistors have
	(A)	positive temperature coefficient
	(B)	almost zero temperature coefficient
	(C).	negative temperature coefficient
	(D)	time dependent temperature coefficient
89.	Whic	h of the following statement is true?
	(A)	The common base configuration has the lowest band width
	(B)	The common emitter configuration has the lowest current gain
	(C)	The common collector configuration has the highest input impedance
•	(D)	The common emitter configuration has the lowest output impedance.
90.	A N	AND gate is called a universal logic element because
	·(A)	It is used for simple applications
	(B)	All the minimizing techniques are applicable for optimum NAND gate realisation
	(C)	Any logic function can be realised by NAND gates
	(D)	Many digital computers use NAND gate
91.	The	first IC chip to contain all the components of a CPU on a single chip:
	(A)	Intel 4004 (C) Intel 8080
• • •	(B)	Intel 8008 (D) Intel 8085
92.	The	execution speed of a processor can be increased by the technique:
	(A)	Branch Prediction (C) Speculative Execution
	(B)	Data Flow Analysis (D) All of the above.
93.	RAI	D Level 0 is not a true member of RAID family, because:
	(A)	Data are distributed across set of physical drives
	. (B)	Data are not distributed across set of physical drives
	(C)	It include redundant information
	(D)	It does not include redundant information
94.	An	example of a language processor:
	(A)	

(D) Right shift operator

Internet Explorer

Modulus operator

A ternary operator in C language:

Bitwise AND operator

Conditional expression operator

(B)

(A) (B)

(C)

95.

(D)

Windows NT




```
The value being returned from the following function (value-fn) to the main () function:
     int Value fn (int x)
     int y = 50;
     if(x = y)
            return (y);
        return (5);
     int main ()
            Value_fn (1);
          return (0);
            50
            5
                                         (D)
     (B)
97.
     struct node
            int data;
            struct node * ptr;
     };
     struct node X, Y, Z;
     X. ptr = & Y;
     Y. ptr = & Z;
     The above statements create
            A singly linked list of three nodes
     (A)
     (B)
            A doubly linked list of three nodes
            Three pointers to structure nodes
     (C)
     (D)
            Three independent structure nodes
     Which of the following is not the function of a database administrator:
     (A)
            Granting authorization for data access
            Database Schema modifications
     (B)
     (C)
            Periodic backing up
     (D)
            Query processing.
     The data structure which stores meta data about the structure of the database :
                                         (C)
                                                Data dictionary
     (A)
            Data files
                                         (D)
                                                Buffer manager
     (B)
            Indices
100. The clause that causes the tuples in the result of an SQL query to appear as a sorted
     sequence:
                                         (C)
                                                order by
     (A)
            where
```

select

(D)

group by



- (A) Store block address
- (C) Correct errors
- (B) Carry user data
- (D) Find beginning of a block

102. A technique for shrinking the size of a file so that it takes up less space on the disk :

- (A) Compaction
- (C) Compression
- (B) Fragmentation
- (D) Garbage collection

103. Which of the ISO/OSI layer handles the task of breaking the transmitted bit stream into frames:

- (A) Physical layer
- (C) Network layer
- (B) Data link layer
- (D) Transport layer

104. A software application designed to find hyper text documents on the web and open the documents on the user computer:

- (A) Web browser
- (C) FTP
- (B) Electronic mail
- (D) Web server


105. One of the following is not a medium for linking the nodes in a computer network:

- (A) Fiber optic cable
- (C) Infrared signal

(B) MODEM

(D) Coaxial cable

106. The magnitude of the resultant force for the given system of forces (as shown) is



(A) P

(C) $\sqrt{2}$ P

(B) 2P

(D) $2\sqrt{2} P$

107. The centre of gravity of a semicircle lies at a distance of from its base measured along the vertical radius (R):

(A) $\frac{4 \text{ R}}{3 \pi}$

(C) $\frac{3 \text{ R}}{4 \pi}$

(B) $\frac{4 \pi}{3 R}$

(D) $\frac{3 \pi}{4 R}$

108. The dimension of impulse as per the absolute (MLT) system is:

(A) MLT

(C) ML-1T

(B) MLT⁻¹


 $(D) \quad ML^{-1}T^{-1}$

- 109. The moment of inertia of a right angled triangle (of width = b and depth = h) about the centroidal axis parallel to the width is
 - $(A) \quad \frac{bh^3}{12}$

 $(C) \quad \frac{bh^3}{36}$

(B) $\frac{hb^3}{12}$

- (D) $\frac{hb^3}{36}$
- 110. A simply supported beam AB of span 5 m is loaded as shown. The reaction at A is :




(A) 4.4 kN

(C) 6.4 kN


(B) 5.4 kN

- (D) 7.4 kN
- 111. For a truss to be perfect, the relationship between its number of members (n) and the number of joints (j) is:
 - (A) n = 2j 3
- (C) n = 4j 3

- (B) n = 3j 2
- (D) n = 3j 4
- 112. The horizontal and vertical reactions at the support A for the given framed structure (as shown) are:



- (A) 8 kN and 6 kN
- (C) 6 kN and 3 kN
- (B) 3 kN and 8 kN
- (D) 8 kN and 3 kN
- 113. The force in the member PQ for the truss given below is (C = compression and T = tension)



- (A) 4.33 kN (C)
- (C) 4.33 kN (T)
- (B) 8.66 kN (T)
- (D) 8.66 kN (C)

			urangadi, Cn	etarr	1	6			
40) + MALAPPURAM	114.	A par $S = t$	ticle starting from $3 - 2t^2 + 3$. The	m rest moves velocity of	in a st	raight line who	ose equation of conds is	motion is giver	ı by
		(A)	35 m/s	· •. •	(C)	55 m/s		.*	-
•		(B)	45 m/s		(D)	65 m/s			
	115.	along	rson walks at a c QP at a constar trip is:	onstant speed at speed of 4	d of 8 1 1 m/s. 7	n/s along a stra The average spo	aight line from eed and average	P to Q and reto e velocity over	urns the
	•	(A)	0 m/s and 5.33	m/s	(C)	0 m/s and 8.3	3 m/s		
		(B)	5.33 m/s and 0	m/s	(D)	8.33 m/s and	0 m/s		
	116.	60° to	k CD is moving of the horizontal, cal direction. The	the point C	is movi	At a certain in ng horizontally	nstant, when the	e link is incline e D is moving	ed at in a
		(A)	0.58 m/s		(C)	2.30 m/s			
		(B)	1.15 m/s	. •	(D)	2.85 m/s			
	117/	engin	r travelling at 20 ne and applies bra op the car is:) m/s finds a ake so as to	t child stop the	on the road 50 car within 10	m ahead. He m of the child.	instantly stops The time requ	the iired
		(A)	1 s		(C)	3 s			
		(B)	2 s			4 s			•
	118.	The	coefficient of res	titution for a	perfect	ly elastic body	is:	,	
6	ب	(A)	•0	•	(C)	1.0			
		(B)	0.5		. (D)	1.5			
	119.	The	maximum height	(H) reached	by a pr	ojectile in a ho	orizontal plane i	s given by:	
			Where u = ve	elocity of pro	ojection				
		•	$\alpha = a$	ngle of proje	ection v	vith horizontal			
			g = a	cceleration d	lue to g	ravity]	· · · · · · · · · · · · · · · · · · ·		
	·	(A)	$\frac{u^2 \sin 2\alpha}{g}$		(C)	$\frac{u^2 \sin 2\alpha}{2g}$			
		(B)	$\frac{u^2\sin^2\alpha}{g}$		(D)	$\frac{u^2 \sin^2 \alpha}{2g}$			
	120.		kinetic energy or rpm is:	of a circular	wheel	of mass 50 kg	g and radius 2	00 mm, rotatir	ng at
3	\$	$_{\mu}(A)$	193.5 Nm		(C)	393.5 Nm			
		(B)	293.5 Nm		(D)	493.5 Nm		· .	- •