

https://mail.gptcthirurangadi.in

TED (10) 1002

(Revision-2010)

N20-R01427

Reg.No..... Signature.....

DIPLOMA EXAMINATION IN ENGINEERING/TECHNOLOGY/MANAGEMENT/ COMMERCIAL PRACTICE, NOVEMBER-2020

TECHNICAL MATHEMATICS-I

[Maximum marks: 100]

(Time: 3 Hours)

PART – A

[Maximum marks: 10] (Answer all questions. Each question carries 2 marks)

- I. (1). If $A = \begin{pmatrix} 2 & 3 \\ -1 & 2 \end{pmatrix}$ and $B = \begin{pmatrix} 1 & 4 \\ 2 & 3 \end{pmatrix}$ find 2A + B
 - (2). Evaluate $\begin{vmatrix} 4 & -2 \\ 2 & 3 \end{vmatrix}$

(3). In how many ways 4 athletes can be chosen out of 10.

- (4). State the identity for $\sin(A+B)$ and $\cos(A-B)$
- (5). Find the slope of the line determined by the pairs of points (5, -2) and (6, 5).

 $(5 \times 2 = 10)$

PART – B

[Maximum marks: 30]

(Answer any *five* of the following questions. Each question carries 6 marks)

II. (1). If $A = \begin{pmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{pmatrix}$, show that $A^2 - 4A - 5I = 0$

(2). Solve using determinants.

$$3x + y - z = 3, -x + y + z = 1, x + y + z = 3$$

(3). Find the middle terms of $\left(x^2 + \frac{2}{x}\right)^7$

- (4). If $\sin \theta = \frac{3}{5}$, θ lies in second quadrant. Find all other trigonometric functions.
- (5). Show that $\cos 5 \sin 25 = \sin 35$.
- (6). Derive the expression for $\sin 3 \text{ A}$
- (7). Find the equation of the line passing through the point of intersection of the lines x-y+1=0 and 2x+3y+2=0 and parallel to x+y-6=0 (5 x 6= 30)



PART - C[Maximum marks: 60] (Answer one full question from each unit. Each question carries 15 marks)

UNIT –I

III. (a). If
$$\begin{vmatrix} x^2 & 2 \\ 5 & 1 \end{vmatrix} = \begin{vmatrix} 8 & 3 \\ 6 & 3 \end{vmatrix}$$
, find x (5)

(b). If
$$A = \begin{bmatrix} 3 & 1 & -1 \\ 0 & 1 & 2 \end{bmatrix}$$
, show that $A \cdot A^T$ symmetric. (5)

(c). Solve the system of equations by finding the inverse of the coefficient matrix

$$x-y+z=4, 2x+y-3z=0, x+y+z=2$$
 (5)

OR

IV. (a). Find the values of a, b, c that satisfy the matrix relationship.

$$\begin{pmatrix} a+3 & 3a-2b \\ 3a-c & a+b+c \end{pmatrix} = \begin{pmatrix} 2 & -7+2b \\ b+4 & 8a \end{pmatrix}$$
(5)

(b). If
$$\begin{vmatrix} 2 & 4 & x \\ 3 & -1 & 2 \\ 1 & 1 & 2 \end{vmatrix} = \begin{vmatrix} 4 & x \\ 3 & 1 \end{vmatrix}$$
 find x (5)

(c). If
$$A = \begin{bmatrix} 1 & 2 \\ 4 & 8 \end{bmatrix}$$
 and $B = \begin{bmatrix} 3 & 1 \\ 6 & -5 \end{bmatrix}$ show that $(A + B)^{T} = A^{T} + B^{T}$ (5)

UNIT-II

V. (a). Expand
$$\left(x + \frac{1}{x}\right)^6$$
 binomially. (5)

(b). Prove that
$$\frac{\csc \theta}{\csc \theta - 1} + \frac{\csc \theta}{\csc \theta + 1} = 2\sec^2 \theta$$
 (5)

(c). Evaluate
$$4\sin^3\frac{\pi}{3} - 3\cos\frac{\pi}{6}$$
 (5)

OR

VI. (a). Find the term independent of x in the expansion of $\left(x^2 - \frac{1}{x}\right)^9$ (5) (b). Prove that $\sec^2 x + \csc^2 x = \sec^2 x \cdot \csc^2 x$ (5) (c). Prove that (5)

$$\frac{\tan 45 - \tan 30}{1 + \tan 45 \cdot \tan 30} = 2 - \sqrt{3}$$



UNIT-III

VII. (a). If
$$\tan A = \frac{3}{4}$$
, $\tan B = \frac{5}{12}$, A and B are acute angles, find $\tan (A-B)$ (5)

(b). Prove that $\cos 20.\cos 40.\cos 80 = \frac{1}{8}$ (5)

(c). If
$$\sin A = 0.6$$
, A is acute, find $\sin 2 A$ (5)

OR

VIII. (a). Prove that $\frac{\sin 4A + \sin 2A}{\cos 4A + \cos 2A} = \tan 3 A$ (5)

- (b). Prove that $\cos 4 \theta = 1 8 \sin^2 \theta \cos^2 \theta$ (5)
- (c). Show that $a(b \cos C c \cos B) = b^2 c^2$ (5)

UNIT-IV

IX. (a). Solve $\triangle ABC$, given $a = 4$ cm, $b = 5$ cm and $c = 2$ cm	(5)
(b). Write down the equation of a line having x intercept 4 and passing through $(3, 1)$	(5)
(c). A straight line is inclined at an angle 45° with the X axis and it passes through the	
point (4, -5), find its equation.	(5)

OR

Х.	(a). Solve $\triangle ABC$, given $a = 5$ cm, $c = 8$ cm and $B = 30^{\circ}$	(5)
	(b) Show that the streight lines $4x + 2x = 10 = 0$ and $2x = 4x + 15 = 0$ are normalized at the	

- (b). Show that the straight lines 4x + 2y 10 = 0 and 2x 4y + 15 = 0 are perpendicular to each other. (5)
- (c). Find the angle between the lines 2x y + 3 = 0 and x 3y + 4 = 0 (5)
